


JEE-MAIN EXAM APRIL, 2024

Date: - 04-04-2024 (SHIFT-2)





PHYSICS

SECTION-A

- The translational degrees of freedom (f_t) and rotational degrees of freedom (f_r) of CH_4 molecule are :
 (1) $f_t = 2$ and $f_r = 2$ (2) $f_t = 3$ and $f_r = 3$ (3) $f_t = 3$ and $f_r = 2$ (4) $f_t = 2$ and $f_r = 3$
- A cyclist starts from the point P of a circular ground of radius 2km and travels along its circumference to the point S. The displacement of a cyclist is :



- (1) 6km (2) $\sqrt{8}$ km (3) 4 km (4) 8km
- The magnetic moment of a bar magnet is 0.5Am^2 . It is suspended in a uniform magnetic field of $8 \times 10^{-2}\text{ T}$. The work done in rotating it from its most stable to most unstable position is :
 (1) $16 \times 10^{-2}\text{ J}$ (2) $8 \times 10^{-2}\text{ J}$ (3) $4 \times 10^{-2}\text{ J}$ (4) Zero
 - Which of the diode circuit shows correct biasing used for the measurement of dynamic resistance of p-n junction diode :




5. Arrange the following in the ascending order of wavelength :

(A) Gamma rays (λ_1) (B) x-ray (λ_2)
 (C) Infrared waves (λ_3) (D) Microwaves (λ_4)

Choose the most appropriate answer from the options given below :

- (1) $\lambda_4 < \lambda_3 < \lambda_1 < \lambda_2$ (2) $\lambda_4 < \lambda_3 < \lambda_2 < \lambda_1$
 (3) $\lambda_1 < \lambda_2 < \lambda_3 < \lambda_4$ (4) $\lambda_2 < \lambda_1 < \lambda_4 < \lambda_3$
6. Identify the logic gate given in the circuit:



- (1) NAND – gate (2) OR – gate (3) AND gate (4) NOR gate
7. The width of one of the two slits in a Young's double slit experiment is 4 times that of the other slit. The ratio of the maximum of the minimum intensity in the interference pattern is :
- (1) 9 : 1 (2) 16 : 1 (3) 1 : 1 (4) 4 : 1
8. Correct formula for height of a satellite from earth's surface is:

(1) $\left(\frac{T^2 R^2 g}{4\pi}\right)^{1/2} - R$ (2) $\left(\frac{T^2 R^2 g}{4\pi^2}\right)^{1/3} - R$ (3) $\left(\frac{T^2 R^2}{4\pi^2 g}\right)^{1/3} - R$ (4) $\left(\frac{T^2 R^2}{4\pi^2}\right)^{-1/3} + R$


9. Match List I with List II

List-I

List-II


(A) Purely capacitive circuit

(I)




(B) Purely inductive circuit

(II)




(C) LCR series at resonance

(III)



(D) LCR series circuit

(IV)



Choose the correct answer from the options given below :

- (1) A-I, B-IV, C-III, D-II (2) A-IV, B-I, C-III, D-II
 (3) A-IV, B-I, C-II, D-III (4) A-I, B-IV, C-II, D-III

10. Given below are two statements :

Statement I : The contact angle between a solid and a liquid is a property of the material of the solid and liquid as well.


Statement II : The rise of a liquid in a capillary tube does not depend on the inner radius of the tube.

In the light of the above statements, choose the correct answer from the options given below :

- (1) Both Statement I and Statement II are false
 (2) Statement I is false but Statement II is true.
 (3) Statement I is true but Statement II is false.
 (4) Both Statement I and Statement II are true.

11. A body of m kg slides from rest along the curve of vertical circle from point A to B in friction less path.

The velocity of the body at B is :



(given, $R = 14\text{ m}$, $g = 10\text{ m/s}^2$ and $\sqrt{2} = 1.4$)

- (1) 19.8 m/s (2) 21.9 m/s (3) 16.7 m/s (4) 10.6 m/s


12. An electric bulb rated $50\text{ W} - 200\text{ V}$ is connected across a 100 V supply. The power dissipation of the bulb is :

- (1) 12.5 W (2) 25 W (3) 50 W (4) 100 W

13. A 2 kg brick begins to slide over a surface which is inclined at an angle of 45° with respect to horizontal axis. The co-efficient of static friction between their surfaces is :

- (1) 1 (2) $\frac{1}{\sqrt{3}}$ (3) 0.5 (4) 1.7

14. In simple harmonic motion, the total mechanical energy of given system is E . If mass of oscillating particle P is doubled then the new energy of the system for same amplitude is :




- (1) $\frac{E}{\sqrt{2}}$ (2) E (3) $E\sqrt{2}$ (4) $2E$

15. Given below are two statements : one is labelled as Assertion A and the other is labelled as Reason R.
Assertion A : Number of photons increases with increase in frequency of light.
Reason R : Maximum kinetic energy of emitted electrons increases with the frequency of incident radiation.
 In the light of the above statements, choose the most appropriate answer from the options given below:
 (1) Both A and R are correct and R is NOT the correct explanation of A.
 (2) A is correct but R is not correct.
 (3) Both A and R are correct and R is the correct explanation of A.
 (4) A is not correct but R is correct.
16. According to Bohr's theory, the moment of momentum of an electron revolving in 4th orbit of hydrogen atom is :
 (1) $8 \frac{h}{\pi}$ (2) $\frac{h}{\pi}$ (3) $2 \frac{h}{\pi}$ (4) $\frac{h}{2\pi}$
17. A sample of gas at temperature T is adiabatically expanded to double its volume. Adiabatic constant for the gas is $\gamma = 3/2$. The work done by the gas in the process is : ($\mu = 1$ mole)
 (1) $RT[\sqrt{2} - 2]$ (2) $RT[1 - 2\sqrt{2}]$ (3) $RT[2\sqrt{2} - 1]$ (4) $RT[2 - \sqrt{2}]$
18. A charge q is placed at the center of one of the surface of a cube. The flux linked with the cube is :-
 (1) $\frac{q}{4\epsilon_0}$ (2) $\frac{q}{2\epsilon_0}$ (3) $\frac{q}{8\epsilon_0}$ (4) Zero
19. Applying the principle of homogeneity of dimensions, determine which one is correct. where T is time period, G is gravitational constant, M is mass, r is radius of orbit.
 (1) $T^2 = \frac{4\pi^2 r}{GM^2}$ (2) $T^2 = 4\pi^2 r^3$ (3) $T^2 = \frac{4\pi^2 r^3}{GM}$ (4) $T^2 = \frac{4\pi^2 r^2}{GM}$
20. A 90 kg body placed at 2R distance from surface of earth experiences gravitational pull of :
 (R = Radius of earth, $g = 10 \text{ ms}^{-2}$)
 (1) 300 N (2) 225 N (3) 120 N (4) 100 N

SECTION-B

21. The displacement of a particle executing SHM is given by $x = 10 \sin\left(\omega t + \frac{\pi}{3}\right)$ m. The time period of motion is 3.14 s. The velocity of the particle at $t = 0$ is _____ m/s.
22. A bus moving along a straight highway with speed of 72 km/h is brought to halt within 4s after applying the brakes. The distance travelled by the bus during this time (Assume the retardation is uniform) is _____ m.
23. A parallel plate capacitor of capacitance 12.5 pF is charged by a battery connected between its plates to potential difference of 12.0 V. The battery is now disconnected and a dielectric slab ($\epsilon_r = 6$) is inserted between the plates. The change in its potential energy after inserting the dielectric slab is _____ $\times 10^{-12}$ J.

24. In a system two particles of masses $m_1 = 3\text{ kg}$ and $m_2 = 2\text{ kg}$ are placed at certain distance from each other. The particle of mass m_1 is moved towards the center of mass of the system through a distance 2 cm . In order to keep the center of mass of the system at the original position, the particle of mass m_2 should move towards the center of mass by the distance ____ cm.
25. The disintegration energy Q for the nuclear fission of $^{235}\text{U} \rightarrow ^{140}\text{Ce} + ^{94}\text{Zr} + n$ is ____ MeV. Given atomic masses of
 $^{235}\text{U} : 235.0439\text{u}$; $^{140}\text{Ce} : 139.9054\text{u}$,
 $^{94}\text{Zr} : 93.9063\text{u}$; $n : 1.0086\text{u}$, Value of $c^2 = 931\text{MeV/u}$
26. A light ray is incident on a glass slab of thickness $4\sqrt{3}\text{ cm}$ and refractive index $\sqrt{2}$. The angle of incidence is equal to the critical angle for the glass slab with air. The lateral displacement of ray after passing through glass slab is ____ cm. (Given $\sin 15^\circ = 0.25$)
27. A rod of length 60 cm rotates with a uniform angular velocity 20 rad^{-1} about its perpendicular bisector, in a uniform magnetic field 0.5 T . The direction of magnetic field is parallel to the axis of rotation. The potential difference between the two ends of the rod is ____ V.
28. Two wires A and B are made up of the same material and have the same mass. Wire A has radius of 2.0 mm and wire B has radius of 4.0 mm . The resistance of wire B is 2Ω . The resistance of wire A is ____ Ω .
29. Two parallel long current carrying wire separated by a distance $2r$ are shown in the figure. The ratio of magnetic field at A to the magnetic field produced at C is $\frac{x}{7}$. The value of x is ____.



30. Mercury is filled in a tube of radius 2 cm up to a height of 30 cm . The force exerted by mercury on the bottom of the tube is ____ N.

(Given, atmospheric pressure $= 10^5\text{ Nm}^{-2}$, density of mercury $= 1.36 \times 10^4\text{ kg m}^{-3}$, $g = 10\text{ ms}^{-2}$,

$$\pi = \frac{22}{7})$$

NTA ANSWERS

- | | | | | | | |
|----------|-----------|---------|-----------|---------|---------|----------|
| 1. (2) | 2. (2) | 3. (2) | 4. (2) | 5. (3) | 6. (2) | 7. (1) |
| 8. (2) | 9. (4) | 10. (3) | 11. (2) | 12. (1) | 13. (1) | 14. (2) |
| 15. (4) | 16. (3) | 17. (4) | 18. (2) | 19. (3) | 20. (4) | 21. (10) |
| 22. (40) | 23. (750) | 24. (3) | 25. (208) | 26. (2) | 27. (0) | 28. (32) |
| 29. (5) | 30. (177) | | | | | |