


JEE-MAIN EXAM APRIL, 2024

Date: - 05-04-2024 (SHIFT-1)



CHEMISTRY

SECTION-A

1. The incorrect postulates of the Dalton's atomic theory are :
- (A) Atoms of different elements differ in mass.
 (B) Matter consists of divisible atoms.
 (C) Compounds are formed when atoms of different element combine in a fixed ratio.
 (D) All the atoms of given element have different properties including mass.
 (E) Chemical reactions involve reorganisation of atoms.
- Choose the correct answer from the options given below :
- (1) (B), (D), (E) only (2) (A), (B), (D) only (3) (C), (D), (E) only (4) (B), (D) only
2. The following reaction occurs in the Blast furnace where iron ore is reduced to iron metal



- Using the Le-chatelier's principle, predict which one of the following will not disturb the equilibrium.
- (1) Addition of Fe_2O_3 (2) Addition of CO_2 (3) Removal of CO (4) Removal of CO_2
3. Identify compound (Z) in the following reaction sequence.







4. Given below are two statements : One is labelled as Assertion (A) and the other is labelled as Reason (R)
- Assertion (A): Enthalpy of neutralisation of strong monobasic acid with strong monoacidic base is always -57 kJ mol^{-1}
- Reason (R): Enthalpy of neutralisation is the amount of heat liberated when one mole of H^+ ions furnished by acid combine with one mole of OH^- ions furnished by base to form one mole of water. In the light of the above statements, choose the correct answer from the options given below.
- (1) (A) is true but (R) is false (2) Both (A) and (R) are true and (R) is the correct explanation of (A)
 (3) (A) is false but (R) is true (4) Both (A) and (R) are true but (R) is not the correct explanation of (A)

5. The statement(s) that are correct about the species O^{2-} , F^- , Na^+ and Mg^{2+} .
- (A) All are isoelectronic (B) All have the same nuclear charge
(C) O^{2-} has the largest ionic radii (D) Mg^{2+} has the smallest ionic radii

Choose the most appropriate answer from the options given below :

- (1) (B), (C) and (D) only (2) (A), (B), (C) and (D)
(3) (C) and (D) only (4) (A), (C) and (D) only

6. For the compounds :



The increasing order of boiling point is :

Choose the correct answer from the options given below :

- (1) (A) < (B) < (C) < (D) (2) (B) < (A) < (C) < (D)
(3) (D) < (C) < (A) < (B) (4) (B) < (A) < (D) < (C)






7. Given below are two statements :

Statement I: In group 13, the stability of +1 oxidation state increases down the group.

Statement II: The atomic size of gallium is greater than that of aluminium.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is incorrect but Statement II is correct
(2) Both Statement I and Statement II are correct
(3) Both Statement I and Statement II are incorrect
(4) Statement I is correct but Statement II is incorrect
8. Number of σ and π bonds present in ethylene molecule is respectively :
- (1) 3 and 1 (2) 5 and 2 (3) 4 and 1 (4) 5 and 1
9. Identify 'A' in the following reaction :




10. The reaction at cathode in the cells commonly used in clocks involves.
- (1) reduction of Mn from +4 to +3 (2) oxidation of Mn from +3 to +4
(3) reduction of Mn from +7 to +2 (4) oxidation of Mn from +2 to +7

11. Which one of the following complexes will exhibit the least paramagnetic behaviour ?
[Atomic number, Cr = 24, Mn = 25, Fe = 26, Co = 27]
- (1) $[\text{Co}(\text{H}_2\text{O})_6]^{2+}$ (2) $[\text{Fe}(\text{H}_2\text{O})_6]^{2+}$
(3) $[\text{Mn}(\text{H}_2\text{O})_6]^{2+}$ (4) $[\text{Cr}(\text{H}_2\text{O})_6]^{2+}$
12. Given below are two statements : one is labelled as Assertion (A) and the other is labelled as Reason (R).
Assertion (A): Cis form of alkene is found to be more polar than the trans form
Reason (R): Dipole moment of trans isomer of 2-butene is zero.
In the light of the above statements, choose the correct answer from the options given below :
- (1) Both (A) and (R) are true but (R) is NOT the correct explanation of (A)
(2) (A) is true but (R) is false
(3) Both (A) and (R) are true and (R) is the correct explanation of (A)
(4) (A) is false but (R) is true
13. Given below are two statements :
- Statement I:** Nitration of benzene involves the following step
- $$\text{H} - \overset{\text{H}}{\underset{\cdot\cdot}{\text{O}}}^{\oplus} - \text{NO}_2 \rightleftharpoons \text{H}_2\text{O} + \overset{\oplus}{\text{NO}_2}$$
- Statement II:** Use of Lewis base promotes the electrophilic substitution of benzene.
In the light of the above statements, choose the most appropriate answer from the options given below :
- (1) Both Statement I and Statement II are incorrect
(2) Statement I is correct but Statement II is incorrect
(3) Both Statement I and Statement II are correct
(4) Statement I is incorrect but Statement II is correct
14. The correct order of ligands arranged in increasing field strength.
- (1) $\text{Cl}^- < ^-\text{OH} < \text{Br}^- < \text{CN}^-$ (2) $\text{F}^- < \text{Br}^- < \text{I}^- < \text{NH}_3$
(3) $\text{Br}^- < \text{F}^- < \text{H}_2\text{O} < \text{NH}_3$ (4) $\text{H}_2\text{O} < ^-\text{OH} < \text{CN}^- < \text{NH}_3$
15. Which of the following gives a positive test with ninhydrin?
- (1) Cellulose (2) Starch
(3) Polyvinyl chloride (4) Egg albumin
16. The metal that shows highest and maximum number of oxidation state is:
- (1) Fe (2) Mn (3) Ti (4) Co
17. Ail organic compound has 42.1% carbon, 6.4% hydrogen and remainder is oxygen. If its molecular weight is 342 , then its molecular formula is :
- (1) $\text{C}_{11}\text{H}_{18}\text{O}_{12}$ (2) $\text{C}_{12}\text{H}_{20}\text{O}_{12}$ (3) $\text{C}_{14}\text{H}_{20}\text{O}_{10}$ (4) $\text{C}_{12}\text{H}_{22}\text{O}_{11}$


18. Given below are two statement :
- Statement I :** Bromination of phenol in solvent with low polarity such as CHCl_3 or CS_2 requires Lewis acid catalyst.
- Statement II :** The lewis acid catalyst polarises the bromine to generate Br^+ .
- In the light of the above statements, choose the correct answer from the options given below :
- (1) Statement I is true but Statement II is false.
 (2) Both Statement I and Statement II are true
 (3) Both Statement I and Statement II are false.
 (4) Statement I is false but Statement II is true.
19. Molar ionic conductivities of divalent cation and anion are $57 \text{ S cm}^2 \text{ mol}^{-1}$ and $73 \text{ S cm}^2 \text{ mol}^{-1}$ respectively. The molar conductivity of solution of an electrolyte with the above cation and anion will be
- (1) $65 \text{ S cm}^2 \text{ mol}^{-1}$ (2) $130 \text{ S cm}^2 \text{ mol}^{-1}$
 (3) $187 \text{ S cm}^2 \text{ mol}^{-1}$ (4) $260 \text{ S cm}^2 \text{ mol}^{-1}$
20. The number of neutrons present in the more abundant isotope of boron is 'x'. Amorphous boron upon heating with air forms a product, in which the oxidation state of boron is 'y'. The value of $x + y$ is ...
- (1) 4 (2) 6 (3) 3 (4) 9

SECTION-B

21. The value of Rydberg constant (R_H) is $2.18 \times 10^{-18} \text{ J}$. The velocity of electron having mass $9.1 \times 10^{-31} \text{ kg}$ in Bohr's first orbit of hydrogen atom = $\text{_____} \times 10^5 \text{ ms}^{-1}$ (nearest integer)



22. In a borax bead test under hot condition, a metal salt (one from the given) is heated at point B of the flame, resulted in green colour salt bead. The spin-only magnetic moment value of the salt is BM (Nearest integer) [Given atomic number of Cu = 29, Ni = 28, Mn = 25, Fe = 26]
23. The heat of combustion of solid benzoic acid at constant volume is -321.30 kJ at 27°C . The heat of combustion at constant pressure is $(-321.30 - xR) \text{ kJ}$, the value of x is
24. Consider the given chemical reaction sequence :




- Total sum of oxygen atoms in Product A and Product B are
25. The spin only magnetic moment value of the ion among Ti^{2+} , V^{2+} , Co^{3+} and Cr^{2+} , that acts as strong oxidising agent in aqueous solution is BM (Near integer).
 (Given atomic numbers : Ti : 22, V : 23, Cr : 24, Co : 27)

26. During Kinetic study of reaction $2A + B \rightarrow C + D$, the following results were obtained :

	A[M]	B[M]	initial rate of formation of D
I	0.1	0.1	6.0×10^{-3}
II	0.3	0.2	7.2×10^{-2}
III	0.3	0.4	2.88×10^{-1}
IV	0.4	0.1	2.40×10^{-2}

- Based on above data, overall order of the reaction is
27. An artificial cell is made by encapsulating 0.2M glucose solution within a semipermeable membrane. The osmotic pressure developed when the artificial cell is placed within a 0.05M solution of NaCl at 300 K is _____ $\times 10^{-1}$ bar.
(Nearest Integer)
[Given : $R = 0.083 \text{ Lbar mol}^{-1} \text{ K}^{-1}$]
Assume complete dissociation of NaCl
28. The number of halobenzenes from the following that can be prepared by Sandmeyer's reaction is



29. In the lewis dot structure for NO_2^- , total number of valence electrons around nitrogen is
30. 9.3 g of pure aniline is treated with bromine water at room temperature to give a white precipitate of the product 'P'. The mass of product 'P' obtained is 26.4 g. The percentage yield is %.

NTA ANSWERS

- | | | | | | | |
|---------|-----------|----------|---------|---------|----------|----------|
| 1. (4) | 2. (1) | 3. (3) | 4. (2) | 5. (4) | 6. (2) | 7. (4) |
| 8. (4) | 9. (2) | 10. (1) | 11. (1) | 12. (3) | 13. (2) | 14. (3) |
| 15. (4) | 16. (2) | 17. (4) | 18. (4) | 19. (2) | 20. (4) | 21. (22) |
| 22. (6) | 23. (150) | 24. (14) | 25. (5) | 26. (3) | 27. (25) | 28. (2) |
| 29. (8) | 30. (80) | | | | | |