


**JEE-MAIN EXAM JANUARY, 2025**

Date: - 23-01-2025 (SHIFT-2)

**PHYSICS****SECTION-A**

1. A plane electromagnetic wave of frequency 20 MHz travels in free space along the +x direction. At a particular point in space and time, the electric field vector of the wave is  $E_y = 9.3 \text{ Vm}^{-1}$ . Then, the magnetic field vector of the wave at that point is
- (1)  $B_z = 3.1 \times 10^{-8} \text{ T}$  (2)  $B_z = 6.2 \times 10^{-8} \text{ T}$   
(3)  $B_z = 9.3 \times 10^{-8} \text{ T}$  (4)  $B_z = 1.55 \times 10^{-8} \text{ T}$
2. Two charges  $7\mu\text{C}$  and  $-4\mu\text{C}$  are placed at  $(-7\text{ cm}, 0, 0)$  and  $(7\text{ cm}, 0, 0)$  respectively. Given,  $\epsilon_0 = 8.85 \times 10^{-12} \text{ C}^2 \text{ N}^{-1} \text{ m}^{-2}$ , the electrostatic potential energy of the charge configuration is :
- (1)  $-2.0 \text{ J}$  (2)  $-1.2 \text{ J}$  (3)  $-1.8 \text{ J}$  (4)  $-1.5 \text{ J}$
3. A circular disk of radius R meter and mass M kg is rotating around the axis perpendicular to the disk. An external torque is applied to the disk such that  $\theta(t) = 5t^2 - 8t$ , where  $\theta(t)$  is the angular position of the rotating disc as a function of time t. How much power is delivered by the applied torque, when  $t = 2\text{ s}$  ?
- (1)  $72MR^2$  (2)  $8MR^2$  (3)  $108MR^2$  (4)  $60MR^2$
4. A galvanometer having a coil of resistance  $30\Omega$  need 20 mA of current for full-scale deflection. If a maximum current of 3 A is to be measured using this galvanometer, the resistance of the shunt to be added to the galvanometer should be  $\frac{30}{X}\Omega$ , where X is
- (1) 447 (2) 596 (3) 298 (4) 149
5. A concave mirror of focal length  $f$  in air is dipped in a liquid of refractive index  $\mu$ . Its focal length in the liquid will be:
- (1)  $\mu f$  (2)  $\frac{f}{\mu}$  (3)  $f$  (4)  $\frac{f}{(\mu-1)}$
6. In photoelectric effect an em-wave is incident on a metal surface and electrons are ejected from the surface. If the work function of the metal is 2.14 eV and stopping potential is 2 V, what is the wavelength of the em-wave ?  
(Given  $hc = 1242 \text{ eVnm}$  where h is the Planck's constant and c is the speed of light in vaccum.)
- (1) 200 nm (2) 600 nm (3) 400 nm (4) 300 nm

7. If a satellite orbiting the Earth is 9 times closer to the Earth than the Moon, what is the time period of rotation of the satellite? Given rotational time period of Moon = 27 days and gravitational attraction between the satellite and the moon is neglected.  
 (1) 81 days (2) 27 days (3) 1 day (4) 3 days
8. A ball having kinetic energy KE, is projected at an angle of  $60^\circ$  from the horizontal. What will be the kinetic energy of ball at the highest point of its flight ?  
 (1)  $\frac{(KE)}{8}$  (2)  $\frac{(KE)}{2}$  (3)  $\frac{(KE)}{4}$  (4)  $\frac{(KE)}{16}$
9. Water of mass  $m$  gram is slowly heated to increase the temperature from  $T_1$  to  $T_2$ . The change in entropy of the water, given specific heat of water is  $1\text{Jkg}^{-1}\text{K}^{-1}$ , is :  
 (1) zero (2)  $m(T_2 - T_1)$  (3)  $m \ln\left(\frac{T_1}{T_2}\right)$  (4)  $m \ln\left(\frac{T_2}{T_1}\right)$
10. The width of one of the two slits in Young's double slit experiment is  $d$  while that of the other slit is  $xd$ . If the ratio of the maximum to the minimum intensity in the interference pattern on the screen is  $9 : 4$  then what is the value of  $x$  ?  
 (Assume that the field strength varies according to the slit width.)  
 (1) 5 (2) 4 (3) 3 (4) 2
11. The refractive index of the material of a glass prism is  $\sqrt{3}$ . The angle of minimum deviation is equal to the angle of the prism. What is the angle of the prism ?  
 (1)  $50^\circ$  (2)  $58^\circ$  (3)  $48^\circ$  (4)  $60^\circ$
12. Water flows in a horizontal pipe whose one end is closed with a valve. The reading of the pressure gauge attached to the pipe is  $P_1$ . The reading of the pressure gauge falls to  $P_2$  when the valve is opened. The speed of water flowing in the pipe is proportional to  
 (1)  $\sqrt{P_1 - P_2}$  (2)  $(P_1 - P_2)^4$  (3)  $P_1 - P_2$  (4)  $(P_1 - P_2)^2$
13. The energy of a system is given as  $E(t) = \alpha^3 e^{-\beta t}$ , where  $t$  is the time and  $\beta = 0.3\text{s}^{-1}$ . The errors in the measurement of  $\alpha$  and  $t$  are  $1.2\%$  and  $1.6\%$ , respectively. At  $t = 5\text{s}$ , maximum percentage error in the energy is  
 (1)  $4\%$  (2)  $11.6\%$  (3)  $8.4\%$  (4)  $6\%$
14. What is the current through the battery in the circuit shown below ?



- (1) 0.5 A (2) 0.25 A (3) 1.0 A (4) 1.5 A

15. Given below are two statements. One is labelled as Assertion (A) and the other is labelled as Reason (R).

**Assertion (A):** The binding energy per nucleon is found to be practically independent of the atomic number  $A$ , for nuclei with mass numbers between 30 and 170.

**Reason (R):** Nuclear force is long range.

In the light of the above statements, choose the correct answer from the options given below :

- (1) Both (A) and (R) are true and (R) is the correct explanation of (A) 2.
- (2) Both (A) and (R) are true but (R) is NOT the correct explanation of (A)
- (3) (A) is false but (R) is true
- (4) (A) is true but (R) is false

16. Match List - I with List - II.

**List - I**

- (A) Permeability of free space
- (B) Magnetic field
- (C) Magnetic moment
- (D) Torsional constant


**List - II**

- (I)  $[ML^2 T^{-2}]$
- (II)  $[MT^{-2} A^{-1}]$
- (III)  $[MLT^{-2} A^{-2}]$
- (IV)  $[L^2 A]$

Choose the correct answer from the options given below :

- (1) (A)-(IV), (B)-(III), (C)-(I), (D)-(II)
- (2) (A)-(I), (B)-(IV), (C)-(II), (D)-(III)
- (3) (A)-(III), (B)-(II), (C)-(IV), (D)-(I)
- (4) (A) - (II), (B)-(I), (C)-(III), (D)-(IV)

- 17.




Using the given P-V diagram, the work done by an ideal gas along the path ABCD is :

- (1)  $4P_0 V_0$                       (2)  $-4P_0 V_0$                       (3)  $3P_0 V_0$                       (4)  $-3P_0 V_0$
18. A massless spring gets elongated by amount  $x_1$  under a tension of 5 N. Its elongation is  $x_2$  under the tension of 7 N. For the elongation of  $(5x_1 - 2x_2)$ , the tension in the spring will be,
- (1) 11 N                      (2) 20 N                      (3) 39 N                      (4) 15 N
19. Two point charges  $-4\mu C$  and  $4\mu C$ , constituting an electric dipole, are placed at  $(-9, 0, 0)\text{cm}$  and  $(9, 0, 0)\text{cm}$  in a uniform electric field of strength  $10^4 \text{NC}^{-1}$ . The work done on the dipole in rotating it from the equilibrium through  $180^\circ$  is :
- (1) 18.4 mJ                      (2) 16.4 mJ                      (3) 12.4 mJ                      (4) 14.4 mJ

20. The equation of a transverse wave travelling along a string is  $y(x, t) = 4.0 \sin [20 \times 10^{-3} x + 600 t]$  mm, where  $x$  is in mm and  $t$  is in second. The velocity of the wave is :
- (1)  $-30 \text{ m/s}$       (2)  $+60 \text{ m/s}$       (3)  $+30 \text{ m/s}$       (4)  $-60 \text{ m/s}$

## SECTION-B

21. A time varying potential difference is applied between the plates of a parallel plate capacitor of capacitance  $2.5 \mu\text{F}$ . The dielectric constant of the medium between the capacitor plates is 1. It produces an instantaneous displacement current of  $0.25 \text{ mA}$  in the intervening space between the capacitor plates, the magnitude of the rate of change of the potential difference will be  $\text{Vs}^{-1}$ .
22. In a series LCR circuit, a resistor of  $300 \Omega$ , a capacitor of  $25 \text{ nF}$  and an inductor of  $100 \text{ mH}$  are used. For maximum current in the circuit, the angular frequency of the ac source is  $\_\_\_\_ \times 10^4 \text{ radians s}^{-1}$ .
23. An air bubble of radius  $1.0 \text{ mm}$  is observed at a depth of  $20 \text{ cm}$  below the free surface of a liquid having surface tension  $0.095 \text{ J/m}^2$  and density  $10^3 \text{ kg/m}^3$ . The difference between pressure inside the bubble and atmospheric pressure is  $\_\_\_\_ \text{ N/m}^2$ .  
(Take  $g = 10 \text{ m/s}^2$ )
24. A satellite of mass  $\frac{M}{2}$  is revolving around earth in a circular orbit at a height of  $\frac{R}{3}$  from earth surface. The angular momentum of the satellite is  $M \sqrt{\frac{GMR}{x}}$ . The value of  $x$  is  $\_\_\_\_$ , where  $M$  and  $R$  are the mass and radius of earth, respectively.  
( $G$  is the gravitational constant)
25. At steady state the charge on the capacitor, as shown in the circuit below, is  $\_\_\_\_ \mu\text{C}$ .



## NTA ANSWERS

- |     |     |     |      |     |     |     |     |     |     |     |     |     |     |
|-----|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1.  | (1) | 2.  | (3)  | 3.  | (4) | 4.  | (4) | 5.  | (3) | 6.  | (4) | 7.  | (3) |
| 8.  | (3) | 9.  | (4)  | 10. | (1) | 11. | (4) | 12. | (1) | 13. | (4) | 14. | (1) |
| 15. | (4) | 16. | (3)  | 17. | (4) | 18. | (1) | 19. | (4) | 20. | (1) | 21. | 100 |
| 22. | 2   | 23. | 2190 | 24. | 3   | 25. | 16  |     |     |     |     |     |     |